



## HLG550V2 R-SPEC



### Spectrum Options



### Specifications

|                         |  |
|-------------------------|--|
| LED                     | 1088 Samsung LM 301B, 64 Osram SSL 660nm |
| PPF                     | 1257                                     |
| Input Current           | 4.2A (120), 2.25A (220)                  |
| Efficacy                | 2.6 $\mu\text{mol/J}$                    |
| Input Voltage           | 120-277VAC : 50/60 Hz                    |
| Coverage Area           | 5x5 flowering or 6x6 veg                 |
| Mounting Height         | 24 to 36 inches                          |
| Thermal Management      | Passive Cooling                          |
| Power Factor            | > 0.9 at 120V-277V at max power          |
| Weight                  | 16.5 lbs                                 |
| Fixture Dimensions      | 26" x 19.5 x 2.5"                        |
| Warranty                | 3 years                                  |
| Max Ambient Temperature | 40C (104F)                               |

SUITABLE FOR DAMP LOCATIONS  
CONVIENT AUX EMPLACEMENTS HUMIDES

CAUTION – RISK OF FIRE  
ATTENTION – RISQUE D'INCENDIE (S24-L1)

THIS PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH THE APPLICABLE INSTALLATION CODE BY A PERSON FAMILIAR WITH THE CONSTRUCTION AND OPERATION OF THE PRODUCT AND THE HAZARDS INVOLVED

CE PRODUIT DOIT ÊTRE INSTALLÉ SELON LE CODE D'INSTALLATION PERTINENT, PAR UNE PERSONNE QUI CONNAÎT BIEN LE PRODUIT ET SON FONCTIONNEMENT AINSI QUE LES RISQUES INHÉRENTS

## MOUNTING


Ensure structure can support HLG 550 V2 Weight (16.5lbs)

FOR CHAIN OR HOOK SUSPENSION ONLY  
SUSPENDRE SEULEMENT À L'AIDE DE CHÂÎNES OU DE CROCHETS (S24-L2)

INSTALL ON NONCOMBUSTIBLE SURFACE ONLY

DO NOT STARE DIRECTLY AT THE LIGHT SOURCE

MAINTAIN A MINIMUM OF 12 INCHES FROM CEILING



## 3 Year Limited Warranty Service

If the product will not work after you have read the troubleshooting guide and practiced the troubleshooting options, you are advised to return the product to the retailer you purchased it from. The dealer will be able to examine the product and test its components. If they are not able to repair the product, they will return it to us for examination and repair/replacement. Do not attempt to repair any product on your own, as serious injury or death may result. If the retailer is not able to help you and the product is still under manufacturer's warranty, you may contact us for technical support. In some cases, you will be issued an RMA# (return merchandise authorization number) to return the unit for factory repair. Complete the warranty form below and return the product with all original packaging, your receipt of purchase, and a valid RMA# to the address below. Please pack and ship the product in its original packaging. If it is damaged in shipment we cannot be responsible and the warranty may be voided. Once we receive RMA package, it will be repaired or replaced and shipped back to you. Please note if an additional warranty was purchased and include the extended warranty sales receipt with your return.

### RETURN FORM

**Include the following if returning:**

- ✓ Proof of purchase
- ✓ This completed form
- ✓ RMA# on the outside of the box
- ✓ Extended warranty receipt

**Return Merchandise Authorization Number (Required):** \_\_\_\_\_

**Contact Name:** \_\_\_\_\_

**Address:** \_\_\_\_\_

\_\_\_\_\_

**Phone #:** \_\_\_\_\_

**Email Address:** \_\_\_\_\_

**Please give a brief description of your technical issue:** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

### SEND TO:

RMA Dept.  
17128 Colima Road Suite 510  
Hacienda Heights, CA 91745  
714-516-8176